

A10WG-09-04



- 4" autosound woofer
- NRSC coated paper cone
- Rubber surround
- Fiber reinforced polymer chassis with removable corners
- Vented VC former and magnet system
- Humidity & Heat resistant



Znom	4 ohm	Sd	44 cm ²
Re	3.1 ohm	BL	4.4 Tm
Le@1kHz	0.4 mH	Vas	0.8 ltrs
fs	125 Hz	Xmax	3 mm peak
Qms	2.68	VC Ø	25 mm
Qes	0.69	Sensitivity	
Qts	0.55	2.83V / 1m	87 dB
Mms	5.5 g	Nom. Power DIN	30 W
Cms	0.29 mm/N	Magnet weight	240 g

A13WG-09-04



- 5" autosound woofer
- NRSC coated paper cone
- Rubber surround
- Fiber reinforced polymer chassis with removable corners
- Vented VC former and magnet system
- Humidity & Heat resistant

Znom	4 ohm	Sd	80 cm ²
Re	3.12 ohm	BL	4.3 Tm
Le@1kHz	0.5 mH	Vas	4.8 ltrs
fs	80 Hz	Xmax	3 mm peak
Qms	3.78	VC Ø	25 mm
Qes	0.62	Sensitivity	
Qts	0.53	2.83V / 1m	89 dB
Mms	5.5 g	Nom. Power DIN	40 W
Cms	0.53 mm/N	Magnet weight	240 g



A16WG-09-04



- 6.5" autosound woofer
- NRSC coated paper cone
- Rubber surround
- Fiber reinforced polymer chassis with removable corners
- Vented VC former and magnet system
- Humidity & Heat resistant

Znom	4 ohm	Sd	138 cm ²
Re	3.1 ohm	BL	4.3 Tm
Le@1kHz	0.5 mH	Vas	19.6 ltrs
fs	57 Hz	Xmax	3 mm peak
Qms	3.22	VC Ø	25 mm
Qes	0.64	Sensitivity	
Qts	0.54	2.83V / 1m	90 dB
Mms	10.7 g	Nom. Power DIN	60 W
Cms	0.73 mm/N	Magnet weight	240 g

A10CG-09-04/06



- 4" Coaxial autosound speaker
- 20mm textile dome tweeter with neodymium magnet
- NRSC coated paper cone
- Rubber surround
- Fiber reinforced polymer chassis
- **Crossover \$18.00 each**

Znom	4/6 ohm	Sd	44/4.4 cm ²
Re	3.1/4.2 ohm	BL	4.4 Tm
Le@1kHz	0.4 mH	Vas	0.8 ltrs
fs	125/1800 Hz	Xmax	3 mm peak
Qms	2.68	VC Ø	25/20 mm
Qes	0.69	Sensitivity	
Qts	0.55	2.83V / 1m	87/86.5 dB
Mms	5.5/0.2 g	Nom. Power	30/20 W
Cms	0.29 mm/N	Magnet weight	240 g

